




Starck tubs & showers Whirltub # 760052000AS0000 / 760052000CE1000 / 760052000CP1000 / 760052000JS1000

|< 1800 mm >|



Whirltub	Dimension	Weight	Order number
Rectangular, 1800x900 mm, Installation, White, Sanitary acrylic, Number of backrests: 2, Incl. support frame, Incl. waste and overflow, Waste outlet position: Middle, Overflow position: Middle, Capacity: 252 l, Internal depth: 460 mm			
Colors			
00 White Alpin			
Variant			
Air-System, 50 Hz, Protection type: IPX5		49.500 kg	760052000AS0000
Combi-System E, 50 Hz, Protection type: IPX5		69.500 kg	760052000CE1000
Combi-System P, 50 Hz, Protection type: IPX5		63.000 kg	760052000CP1000
Jet-System, 50 Hz, Protection type: IPX5		53.500 kg	760052000JS1000
Suitable setting for Combi-System E, 50 Hz, Protection type: IPX5			
Bathtub anchors	100 x 30 mm	0.63 kg	790103
Tub heating	0 x 0 mm	1.5 kg	791882
Waste and overflow with inlet Tub filler, Quadroval, Bowden cable length: 750 mm, Diameter waste plug: 52 mm	400 x 80 mm	0 kg	791206
Suitable products			
Panel for corner left Scope of application: Inside, Incl. support frame: No, 1790 x 890 mm	1790 x 890 mm		ST8912
Panel for corner right Scope of application: Inside, Incl. support frame: No, 1790 x 890 mm	1790 x 890 mm		ST8919
Back-to-wall panel Scope of application: Inside, Incl. support frame: No, 1780 x 890 mm	1780 x 890 mm		ST8926
Panel for niche Scope of application: Inside, Incl. support frame: No, 1790 x 790 mm	1790 x 790 mm		ST8939

**Starck tubs & showers Whirltub # 760052000AS0000 /
760052000CE1000 / 760052000CP1000 / 760052000JS1000**

|< 1800 mm >|

Tile flange , 3300 x 4 mm	3300 x 4 mm	790126
Tub handle Chrome, 311 x 56 mm	311 x 56 mm	792804
Front panel Scope of application: Inside, Incl. support frame: No, White, Sanitary acrylic, 1800 x 35 mm	1800 x 35 mm	701068
Side panel Scope of application: Inside, Incl. support frame: No, White, Sanitary acrylic, 900 x 35 mm	900 x 35 mm	701074

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.