



Luv Washbowl # 038080..00 / 038080..00 / 038080..00

|< 800 mm >|



| Washbowl | Dimension | Weight | Order number |
|--|---------------|-----------|--------------|
| DuraCeram®, Oval, Tap hole platform: Yes, Overflow: No, grounded, Incl. ceramic drain cover, Incl. slotted waste, 800 mm | | | |
| | | | |
| Colors | | | |
| 00 White Alpin 23 White/Grey Satin matt 26 White/White Satin Matt | | | |
| | | | |
| Variant | | | |
| ● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle | | 12.700 kg | 038080..00 |
| ● Interior colour White High Gloss, Exterior colour Grey Satin Matt, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle | | 12.700 kg | 038080..00 |
| ● Interior colour White High Gloss, Exterior colour White Satin Matt, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle | | 12.700 kg | 038080..00 |
| Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number. | | | |
| | | | |
| Accessory | | | |
| Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin | 70 x 425 mm | 1.5 kg | 005036 |
| | | | |
| Suitable products | | | |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm | 800 x 550 mm | | KT6694 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1000 x 550 mm | 1000 x 550 mm | | KT6695 |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

| < 800 mm > |

| | | |
|--|---------------|--------|
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 1200 x 550 mm | 1200 x 550 mm | KT6696 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm | 1000 x 550 mm | KT6655 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm | 1200 x 550 mm | KT6656 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 478 mm | 700 x 478 mm | DS5301 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 478 mm | 800 x 478 mm | DS5302 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 478 mm | 900 x 478 mm | DS5303 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 478 mm | 1000 x 478 mm | DS5304 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm | 700 x 548 mm | DS5311 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm | 800 x 548 mm | DS5312 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm | 900 x 548 mm | DS5313 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm | 1000 x 548 mm | DS5314 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm | 700 x 548 mm | DS5316 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm | 800 x 548 mm | DS5317 |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

|< 800 mm >|

| | | |
|--|---------------|--------|
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm | 900 x 548 mm | DS5318 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm | 1000 x 548 mm | DS5319 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 477 mm | 720 x 477 mm | LC5801 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 477 mm | 820 x 477 mm | LC5802 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 477 mm | 920 x 477 mm | LC5803 |
| Console vanity unit wall-mounted Compact, Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 477 mm | 1020 x 477 mm | LC5804 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm | 720 x 547 mm | LC5811 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm | 820 x 547 mm | LC5812 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm | 920 x 547 mm | LC5813 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm | 1020 x 547 mm | LC5814 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm | 720 x 547 mm | LC5816 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm | 820 x 547 mm | LC5817 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm | 920 x 547 mm | LC5818 |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

|< 800 mm >|

| | | |
|---|---------------|------------|
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm | 1020 x 547 mm | LC5819 |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1338 x 570 mm | 1338 x 570 mm | LU9561 |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm | 1733 x 570 mm | LU9563 L/R |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1338 x 570 mm | 1338 x 570 mm | LU9566 |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 1733 x 570 mm | 1733 x 570 mm | LU9568 L/R |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm | 800 x 548 mm | XS4900 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm | 1000 x 548 mm | XS4901 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm | 1200 x 548 mm | XS4902 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm | 800 x 548 mm | XS4910 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm | 1000 x 548 mm | XS4911 |
| Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm | 1200 x 548 mm | XS4912 |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

| < 800 mm > |

| | | |
|--|---------------|------------|
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm | 800 x 548 mm | XS4920 |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm | 1000 x 548 mm | XS4921 |
| Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm | 1200 x 548 mm | XS4922 |
| Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm | 1600 x 548 mm | XS4904 L/R |
| Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm | 1600 x 548 mm | XS4914 L/R |
| Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm | 1400 x 548 mm | XS4923 L/R |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 938 x 570 mm | 938 x 570 mm | LU9564 |
| Console vanity unit floorstanding Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Yes, Integrated height adjustment, 938 x 570 mm | 938 x 570 mm | LU9569 |
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS102C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS103C |
| Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS106C |
| Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | DS107C |
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC102C |
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC103C |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

|< 800 mm >|

| | | |
|--|---------------|--------|
| Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC106C |
| Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm | 800 x 550 mm | LC107C |
| Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | DS100C |
| Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | DS101C |
| Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | DS104C |
| Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | DS105C |
| Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | LC100C |
| Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | LC101C |
| Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | LC104C |
| Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm | 800 x 480 mm | LC105C |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm | 800 x 550 mm | DE4947 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm | 1000 x 550 mm | DE4948 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm | 1200 x 550 mm | DE4949 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm | 800 x 550 mm | DE4967 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm | 1000 x 550 mm | DE4968 |
| Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm | 1200 x 550 mm | DE4969 |

Luv Washbowl # 038080..00 / 038080..00 / 038080..00

|< 800 mm >|

| Recommended faucets | |
|---|-----------|
| single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm | B11020002 |
| single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm | C11020002 |
| single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm | C11030002 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.