



## ME by Starck Washbasin Compact # 234360..00 / 234360..00

| < 600 mm > |



Washbasin Compact	Dimension	Weight	Order number
Rectangular, Number of washing areas: 1, Tap hole platform: Yes, Overflow: Yes, Underside glazed, Back side glazed: No, 600 mm			
Colors			
00 White Alpin 32 White Satin Matt			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle		15.200 kg	234360..00
● White Satin Matt, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle		15.200 kg	234360..00
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
Recommended faucets			
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm	175 x 50 mm		B11020001

**ME by Starck Washbasin Compact # 234360..00 / 234360..00**

|&lt; 600 mm &gt;|

single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 42 mm	175 x 42 mm	B21020001
single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm	166 x 40 mm	C11030001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 167 mm, Spout reach: 107 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 149 x 43 mm	149 x 43 mm	A11020001
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100008
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100007
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120002
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120009
single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 109 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, Flow rate (3 bar): 5 l/min, recommended operating pressure: 1 - 5 bar, 50 x 154 mm	50 x 154 mm	DE1020001

## ME by Starck Washbasin Compact # 234360..00 / 234360..00

|< 600 mm >|

single lever basin mixer M FreshStart FreshStart, Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 109 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, Flow rate (3 bar): 5,5 l/min, recommended operating pressure: 1 - 5 bar, 50 x 154 mm	50 x 154 mm	DE1021001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 217 mm, Spout reach: 125 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, 48 x 160 mm	48 x 160 mm	WT1020002
single lever basin mixer M Chrome, Ceramic cartridge, Height: 184 mm, Spout reach: 106 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, recommended operating pressure: 1 - 5 bar, 46 x 144 mm	46 x 144 mm	N11020001
single lever basin mixer M FreshStart FreshStart, Chrome, Ceramic cartridge, Height: 184 mm, Spout reach: 106 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, recommended operating pressure: 1 - 5 bar, 46 x 144 mm	46 x 144 mm	N11021001
single lever basin mixer M MinusFlow MinusFlow, Chrome, Ceramic cartridge, Height: 184 mm, Spout reach: 106 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, recommended operating pressure: 1 - 5 bar, 46 x 144 mm	46 x 144 mm	N11022001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	48 x 169 mm	MH1020001

# ME by Starck Washbasin Compact # 234360..00 / 234360..00

|< 600 mm >|

single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1021001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1021001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1022001

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*