


# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|



Mirror cabinet	Dimension	Weight	Order number
Version: Sensor, Number of doors: 2, Hinge position: Left, Right, Mirror surfaces: Double mirror doors, Back panel mirror, Number of glass shelves: 2, Number of wooden shelves: 1, Illuminant: LED Light fields Sidewise, 27 W, Turn on lighting: Sensor switch Bottom, Right, 3500 K, Dimming function: Integrated, LED light for washing area: Integrated, Service life of illuminant: > 30000 h, Replaceable illuminant: No, Energy class D, Protection type: IP44			
Colors			
M07 Concrete Grey Matt Decor M16 Black Oak M18 White Matt Decor M22 White High Gloss Decor M36 White Satin Matt Lacquer M38 Dolomiti Grey High Gloss Lacquer M39 Nordic White Satin Matt Lacquer M40 Black High Gloss Lacquer M43 Basalt Matt Decor M49 Graphite Matt Decor M60 Taupe Satin Matt Lacquer M75 Linen Decor M80 Graphite Super Matt M83 Taupe Super Matt M84 White Super Matt M85 White High Gloss Lacquer M89 Flannel Grey High Gloss Lacquer M90 Flannel Grey Satin Matt Lacquer M91 Taupe Matt Decor M92 Stone Grey Satin Matt Lacquer M98 Night Blue Satin Matt Lacquer			
Variant			
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Without		27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C		27.000 kg	XS7112

**XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...**

|< 800 mm >|

Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Concrete grey, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black oak, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112

# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|

White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112

# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|

White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Dolomite Gray, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Nordic white, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112

# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|

Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Black, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Basalte, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112

**XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...**

|< 800 mm >|

Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112

**XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...**

|< 800 mm >|

Linen, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Graphite, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112



# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|

taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
White, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112



**XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...**

|< 800 mm >|

Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Flannel Grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112

# XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...

|< 800 mm >|

taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Without	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
taupe, Body material: Highly compressed three-layer chipboard, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Stone grey, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: F	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: E	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: J	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: L	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Without	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112
Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: C	27.000 kg	XS7112

**XSquare Mirror cabinet # XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 / XS7112 ...**

|< 800 mm >|

Night blue, Body material: Highly compressed MDF panel, Socket: Integrated, Number of sockets: 1, plug socket type: G	27.000 kg	XS7112
<b>Accessory</b>		
Box drawer Acryl glass, Solid wood, Suitable for series XSquare, Suitable for Mirror cabinet	100 x 160 mm 0.307 kg	XS9948
Magnetic strip Chrome Matt, Stainless steel, Incl. mounting material: Yes, Suitable for series Brioso, Duravit No.1, Ketho, Ketho.2, L-Cube, Light & mirror, Qatego, Vitrium, XSquare, XViu, Suitable for Mirror cabinet	90 x 5 mm 0.034 kg	UV9709

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*