





DuraSquare Washbasin # 2353120041 / 2353120070 / 2353120071 / 2353120079

| < 1200 mm > |



Washbasin	Dimension	Weight	Order number
DuraCeram®, Rectangular, Tap hole platform: Yes, Overflow: No, Incl. ceramic drain cover, Incl. slotted waste, Underside glazed, Back side glazed: No, 1200 mm			
Colors			
00 White Alpin			
Variant			
● ● White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Middle		28.300 kg	2353120041
☒ White High Gloss, Number of washing areas: 2 Middle		28.300 kg	2353120070
● ● White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Middle, grounded		28.300 kg	2353120071
☒ White High Gloss, Number of washing areas: 2 Middle, grounded		28.300 kg	2353120079
Infobox			
To attach washbasins from a size of 1000 mm, two attachments with article no. # 6951000000 are required			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			

DuraSquare Washbasin # 2353120041 / 2353120070 / 2353120071 / 2353120079

|< 1200 mm >|

Accessory for White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Middle			
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
Suitable products			
Vanity unit wall-mounted Number of pull-out compartments: 2, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin DuraSquare # 235312, 1184 x 460 mm	1184 x 460 mm		XS4064
Vanity unit wall-mounted Number of drawers: 4, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin DuraSquare # 235312, 1184 x 460 mm	1184 x 460 mm		XS4164
Vanity unit floorstanding Number of pull-out compartments: 4, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, Necessary articles: Washbasin DuraSquare # 235312, 1184 x 460 mm	1184 x 460 mm		XS4456
Metal console Type of mounting: Floorstanding, Mounting under washbasin, Height adjustable: 50 mm, Incl. mounting material: Yes, Reversible: Yes, Incl. towel rail: Yes, 1265 x 451 mm	1265 x 451 mm		003117
Metal console Type of mounting: Mounting under washbasin, Incl. mounting material: Yes, Reversible: Yes, Incl. towel rail: Yes, 1265 x 451 mm	1265 x 451 mm		003118
Glass inserts Glass, 1164 x 380 mm	1164 x 380 mm		009970
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		DS102C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		DS103C
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		DS106C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		DS107C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		LC102C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm		LC107C

DuraSquare Washbasin # 2353120041 / 2353120070 / 2353120071 / 2353120079

|< 1200 mm >|

Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS100C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS101C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS104C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	DS105C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC100C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC101C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC104C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	800 x 480 mm	LC105C
Recommended faucets		
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm	175 x 50 mm	B11020002
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm	C11020002
single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm	166 x 40 mm	C11030002
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004

DuraSquare Washbasin # 2353120041 / 2353120070 / 2353120071 / 2353120079

|< 1200 mm >|

single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 42 mm	175 x 42 mm	B21020002
single lever basin mixer M Chrome, Ceramic cartridge, Height: 167 mm, Spout reach: 107 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 149 x 43 mm	149 x 43 mm	A11020002
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100008
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100007
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120002
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120009

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.