


ME by Starck Washbasin # 236112..00 / 236112..24 / 236112..60

|< 1230 mm >|



Washbasin	Dimension	Weight	Order number
Rectangular, Tap hole platform: Yes, Overflow: Yes, Back side glazed: No, 1230 mm			
Colors			
00 White Alpin 32 White Satin Matt			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle		31.700 kg	236112..00
● ● White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right		31.700 kg	236112..24
⊗ White High Gloss, Number of washing areas: 1 Middle		31.700 kg	236112..60
● White Satin Matt, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Without		31.700 kg	236112..00
● ● White Satin Matt, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right		31.700 kg	236112..24

ME by Starck Washbasin # 236112..00 / 236112..24 / 236112..60 / 236112..00 / 236112..24 / 236112..60

|< 1230 mm >|

☒ White Satin Matt, Number of washing areas: 1 Middle		31.700 kg	236112..60
Infobox			
Space-saving siphon is recommended in conjunction with vanity unit / To attach washbasins from a size of 1000 mm, two attachments with article no. # 6951000000 are required			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Space-saving siphon White, Connection dimensions: 1 1/4"	360 x 390 mm	0.372 kg	005076
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Suitable products			
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1220 x 481 mm	1220 x 481 mm		LC6143
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1220 x 481 mm	1220 x 481 mm		LC6243
Vanity unit floorstanding Number of pull-out compartments: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, Plinth legs Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1220 x 481 mm	1220 x 481 mm		LC6628
Pedestal Type of mounting: Floorstanding, 175 x 210 mm	175 x 210 mm		085839
Siphon cover White, Type of mounting: Wall-mounted, Incl. mounting material, 170 x 300 mm	170 x 300 mm		085840
Vanity unit wall-mounted Number of drawers: 2, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1200 x 475 mm	1200 x 475 mm		KT6431
Vanity unit wall-mounted Number of pull-out compartments: 1, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1220 x 479 mm	1220 x 479 mm		BR4004
Vanity unit wall-mounted Number of drawers: 2, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1220 x 479 mm	1220 x 479 mm		BR4104

ME by Starck Washbasin # 236112..00 / 236112..24 / 236112..60
/ 236112..00 / 236112..24 / 236112..60

|< 1230 mm >|

Vanity unit floorstanding Number of pull-out compartments: 2, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Plinth legs Optional, Necessary articles: Washbasin ME by Starck # 236112, 233612, 1220 x 479 mm	1220 x 479 mm	BR4404
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 478 mm	1210 x 478 mm	XS4074
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 478 mm	1210 x 478 mm	XS4174
Vanity unit floorstanding Number of pull-out compartments: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 478 mm	1210 x 478 mm	XS4448
Vanity unit wall-mounted Number of pull-out compartments: 1, Handle Chrome, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1200 x 475 mm	1200 x 475 mm	XB6033
Vanity unit wall-mounted Number of drawers: 2, Handle Chrome, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1200 x 475 mm	1200 x 475 mm	XB6123
Vanity unit wall-mounted Number of pull-out compartments: 1, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 480 mm	1210 x 480 mm	XV4028
Vanity unit wall-mounted Number of drawers: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 480 mm	1210 x 480 mm	XV4128
Vanity unit floorstanding Number of pull-out compartments: 2, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Matt, Aluminum, Interior system Optional, Plinth legs Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 480 mm	1210 x 480 mm	XV4484
Vanity unit wall-mounted Number of pull-out compartments: 1, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 236112, 233612, 1210 x 462 mm	1210 x 462 mm	DE4264
Vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, Necessary articles: Washbasin ME by Starck # 233612, 236112, 1210 x 462 mm	1210 x 462 mm	DE4364

ME by Starck Washbasin # 236112..00 / 236112..24 / 236112..60
/ 236112..00 / 236112..24 / 236112..60

|< 1230 mm >|

Recommended faucets		
single lever mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm	C11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm	175 x 50 mm	B11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 42 mm	175 x 42 mm	B21020001
single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 166 x 40 mm	166 x 40 mm	C11030001
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm	C11070004
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100008
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100007

ME by Starck Washbasin # 236112..00 / 236112..24 / 236112..60
 / 236112..00 / 236112..24 / 236112..60

|< 1230 mm >|

2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120002
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	198 x 45 mm	D11120009

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.