


# DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |



Installation element dry installation for WC	Dimension	Weight	Order number
Hygienic flush, 6 l, Powder-coated, Type of installation: In standard lightweight construction, In front of solid wall, Type of mounting: Drywall, Max. projection toilet: 625 mm, Height adjustable: 240 mm, Flush operation: Electronic, Flush operation position: Front, Adjustable flush volumes, Flush type: Dual Flush, insulated against condensation, Throttle for regulating the flush flow, Self-supporting, Suitable for panelling with plasterboards			
<b>Colors</b>			
00 White Alpin			
<b>Variant</b>			
		16.000 kg	WD1013000000
<b>Suitable products</b>			
Electronic actuator plate for WC A2 power supply, Glass, White, Dual Flush, Flush operation: Infra-red controlled, Flush operation technology: Automatic, Touchless, Manual, At the touch of a button, Type of installation: surface mounted, Incl. installation frame, Including mounting kit, Protection type: IPX4	230 x 10 mm	2.1 kg	WD5003
<b>Installation accessories</b>			
Vario Connector Set	220 x 260 mm	0.7 kg	100691
Wall connection set for WC 365 mm, Elongated	365 x 180 mm	0.8 kg	WD6010
Interface set	23 x 300 mm	0.45 kg	100729
Vario Connector Set Suitable for series: SensoWash Starck f, For pre-wall carrier: with conduit pipe, 82-115 mm	220 x 60 mm	0.28 kg	100731
Extension set Suitable for increased installation height	230 x 310 mm	1.73 kg	WD6012
Noise reduction set	65 x 35 mm	0.057 kg	WD6015
<b>Suitable products</b>			
Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 585 mm	355 x 585 mm		018209

# DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 575 mm	365 x 575 mm	254609
Wall-mounted toilet Hornberg Flush water quantity: 6/3 l, Washdown model, Flushing rim: Semi-open, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 360 x 530 mm	360 x 530 mm	019209
Wall-mounted toilet Basic Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 560 mm	355 x 560 mm	018409
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 410 x 575 mm	410 x 575 mm	021009
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	220009
Wall-mounted toilet Flush water quantity: 6/3 l, Washout model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 540 mm	365 x 540 mm	220109
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 480 mm	365 x 480 mm	220209
Wall-mounted toilet Comfort Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 545 mm	365 x 545 mm	221509
Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 545 mm	365 x 545 mm	220609
Wall-mounted toilet Compact Flush water quantity: 6/3 l, Washdown model, Flushing rim: Open, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 350 x 480 mm	350 x 480 mm	221109
Wall-mounted toilet Flush water quantity: 6/3 l, Washout model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 540 mm	355 x 540 mm	221009
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	222509
Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 2, 365 x 620 mm	365 x 620 mm	222609

# DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 625 mm	365 x 625 mm	254409
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	254509
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 375 x 620 mm	375 x 620 mm	253309
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 375 x 485 mm	375 x 485 mm	222709
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	253409
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm	365 x 620 mm	254459
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm	365 x 620 mm	222659
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 375 x 620 mm	375 x 620 mm	253359
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 485 mm	365 x 485 mm	254909
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 355 x 545 mm	355 x 545 mm	253509
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	253809
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 620 mm	370 x 620 mm	253709
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 376 x 620 mm	376 x 620 mm	253759

# DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Wall-mounted toilet White, Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	253609
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	222109
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm	370 x 480 mm	253909
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm	370 x 480 mm	257109
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 620 mm	370 x 620 mm	254209
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 376 x 620 mm	376 x 620 mm	254259
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 620 mm	365 x 620 mm	255009
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm	365 x 620 mm	255059
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	255109
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	255209
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	222209
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	255709
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	252709

## DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm	370 x 570 mm	252809
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 360 x 570 mm	360 x 570 mm	252909
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 373 x 570 mm	373 x 570 mm	252859
Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1,		252959
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm	370 x 480 mm	253009
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 540 mm	365 x 540 mm	256209
Toilet set wall-mounted Wall-mounted toilet: 2552090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 374 x 540 mm	374 x 540 mm	455209
Toilet set wall-mounted Wall-mounted toilet: 2562090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0020790000, Lid colour: White High Gloss, Automatic close, 373 x 540 mm	373 x 540 mm	456209
Toilet set wall-mounted Wall-mounted toilet: 2225090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm	370 x 540 mm	422509
Toilet set wall-mounted Wall-mounted toilet: 2200090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm	370 x 540 mm	420009
Toilet set wall-mounted Wall-mounted toilet: 2535090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067310000, Lid colour: White High Gloss, 355 x 545 mm	355 x 545 mm	453519
Toilet set wall-mounted Wall-mounted toilet: 2535090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067390000, Lid colour: White High Gloss, Automatic close, 359 x 545 mm	359 x 545 mm	453509

# DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Toilet set wall-mounted Compact Wall-mounted toilet: 2530090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, 370 x 480 mm	370 x 480 mm	453009
Toilet set wall-mounted Wall-mounted toilet: 2570090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067390000, Lid colour: White High Gloss, Automatic close, 359 x 545 mm	359 x 545 mm	457009
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 355 x 545 mm	355 x 545 mm	257009
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm	370 x 570 mm	252509
Toilet set wall-mounted Compact Wall-mounted toilet: 2571090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm	370 x 480 mm	457109
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 575 mm	365 x 575 mm	257209
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm	370 x 570 mm	251109
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 480 mm	365 x 480 mm	257309
Toilet set wall-mounted Wall-mounted toilet: 2572090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0069690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 400 x 600 mm	400 x 600 mm	457209
Toilet set wall-mounted Wall-mounted toilet: 25270900001, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm	370 x 540 mm	452709
Toilet set wall-mounted , 373.5 x 570 mm	373.5 x 570 mm	452909
Toilet set wall-mounted Wall-mounted toilet: 25510900001, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 373 x 540 mm	373 x 540 mm	455109

## DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

Compact shower toilet Plus Wall-mounted, Flush construction: Washdown model, Flushing rim: Rimless, HygieneGlaze, Rearwash, Ladywash, Pulsing shower spray: Oscillating, Adjustable shower jet position level: Infinitely adjustable, Controllable warm air dryer steps: Infinitely adjustable, Seat temperature level: Infinitely adjustable, Controllable spray jet temperature steps: Infinitely adjustable, Self-cleaning shower nozzle/shower head, Decalcification function, Holiday mode, Night light, 378 x 575 mm	378 x 575 mm	650000
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 325 x 480 mm	325 x 480 mm	257409
Toilet wall-mounted for shower toilet seat HygieneGlaze, Flush water quantity: 4,8/4,8 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, 360 x 575 mm	360 x 575 mm	251009
Compact shower toilet Lite Wall-mounted, Flush construction: Washdown model, Flushing rim: Rimless, HygieneGlaze, Rearwash, Ladywash, Pulsing shower spray: Oscillating, Adjustable shower jet position level: Infinitely adjustable, Controllable warm air dryer steps: Infinitely adjustable, Seat temperature level: Infinitely adjustable, Controllable spray jet temperature steps: Infinitely adjustable, Self-cleaning shower nozzle/shower head, Decalcification function, Holiday mode, Night light, 378 x 575 mm	378 x 575 mm	650001
Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 480 mm	365 x 480 mm	257509
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	257709
Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	257809
Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm	370 x 540 mm	257609
Wall-mounted toilet Compact Flush water quantity: 4,5 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm	370 x 480 mm	258709
Toilet set wall-mounted Wall-mounted toilet: 2577090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm	370 x 540 mm	457709
Toilet set wall-mounted Wall-mounted toilet: 2578090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm	370 x 540 mm	457809



## DuraSystem® Installation element dry installation for WC # WD1013000000

| < 500 mm > |

<p>Toilet set wall-mounted Compact Wall-mounted toilet: 2587090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm</p>	370 x 480 mm	458709
<p>Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm</p>	370 x 570 mm	257909
<p>Toilet wall-mounted for shower toilet seat HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 370 x 570 mm</p>	370 x 570 mm	257959
<p>Toilet set wall-mounted Wall-mounted toilet: 2579092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, 373.5 x 570 mm</p>	373.5 x 570 mm	457909
<p>Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm</p>	370 x 480 mm	258809
<p>Toilet set wall-mounted Compact Wall-mounted toilet: 2588090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm</p>	370 x 480 mm	458809
<p>Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm</p>	370 x 540 mm	259109
<p>Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm</p>	370 x 540 mm	258609
<p>Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm</p>	370 x 480 mm	259009
<p>Toilet set wall-mounted Wall-mounted toilet: 2586092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 3 l, Toilet seat: 0026490000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm</p>	370 x 540 mm	458609
<p>Toilet set wall-mounted Wall-mounted toilet: 2591092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 3 l, Toilet seat: 0026490000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm</p>	370 x 540 mm	459109

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.