


DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |



| Installation element dry installation for WC Basic | Dimension | Weight | Order number |
|---|--------------|-----------|--------------|
| 6 l, Powder-coated, Type of installation: In standard lightweight construction, In front of solid wall, Type of mounting: Drywall, Max. projection toilet: 625 mm, Height adjustable: 240 mm, Flush operation: Mechanical, Flush operation position: FrontTop, Adjustable flush volumes, Flush type: Dual Flush, insulated against condensation, Throttle for regulating the flush flow, Self-supporting, Suitable for panelling with plasterboards | | | |
| Colors | | | |
| 00 White Alpin | | | |
| Variant | | | |
| | | 13.500 kg | WD1017000000 |
| Suitable products | | | |
| Mechanical actuator plate for WC A1 Plastic, Dual Flush, Flush operation: Mechanical, Flush operation technology: Manual, Type of installation: surface mounted, Flush-mounted, Incl. installation frame, Including mounting kit, Incl. push rod | 217 x 10 mm | 0.3 kg | WD5001 |
| Installation accessories | | | |
| Hygienic flush battery supply, Protection type: IPX4 | 184 x 95 mm | 0.3 kg | WD6003 |
| Wall connection set for WC 365 mm, Elongated | 365 x 180 mm | 0.8 kg | WD6010 |
| Extension set Suitable for increased installation height | 230 x 310 mm | 1.73 kg | WD6012 |
| Noise reduction set | 65 x 35 mm | 0.057 kg | WD6015 |
| Mounting kit For single installation | 160 x 75 mm | 0.54 kg | WD6016 |
| Pre-installation set | 135 x 105 mm | 0.43 kg | 005072 |
| Suitable products | | | |
| Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 585 mm | 355 x 585 mm | | 018209 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 575 mm | 365 x 575 mm | | 254609 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|---|--------------|--------|
| Wall-mounted toilet Hornberg Flush water quantity: 6/3 l, Washdown model, Flushing rim: Semi-open, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 360 x 530 mm | 360 x 530 mm | 019209 |
| Wall-mounted toilet Basic Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 560 mm | 355 x 560 mm | 018409 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 410 x 575 mm | 410 x 575 mm | 021009 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 220009 |
| Wall-mounted toilet Flush water quantity: 6/3 l, Washout model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 540 mm | 365 x 540 mm | 220109 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 480 mm | 365 x 480 mm | 220209 |
| Wall-mounted toilet Comfort Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 545 mm | 365 x 545 mm | 221509 |
| Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 365 x 545 mm | 365 x 545 mm | 220609 |
| Wall-mounted toilet Compact Flush water quantity: 6/3 l, Washdown model, Flushing rim: Open, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 350 x 480 mm | 350 x 480 mm | 221109 |
| Wall-mounted toilet Flush water quantity: 6/3 l, Washout model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 2, 355 x 540 mm | 355 x 540 mm | 221009 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 222509 |
| Wall-mounted toilet Flush water quantity: 6/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 2, 365 x 620 mm | 365 x 620 mm | 222609 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 625 mm | 365 x 625 mm | 254409 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|--|--------------|--------|
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 254509 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 375 x 620 mm | 375 x 620 mm | 253309 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 375 x 485 mm | 375 x 485 mm | 222709 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 253409 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm | 365 x 620 mm | 254459 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm | 365 x 620 mm | 222659 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 375 x 620 mm | 375 x 620 mm | 253359 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 485 mm | 365 x 485 mm | 254909 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 355 x 545 mm | 355 x 545 mm | 253509 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 253809 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 620 mm | 370 x 620 mm | 253709 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 376 x 620 mm | 376 x 620 mm | 253759 |
| Wall-mounted toilet White, Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 253609 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|---|--------------|--------|
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 222109 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm | 370 x 480 mm | 253909 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm | 370 x 480 mm | 257109 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 620 mm | 370 x 620 mm | 254209 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 376 x 620 mm | 376 x 620 mm | 254259 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 620 mm | 365 x 620 mm | 255009 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 365 x 620 mm | 365 x 620 mm | 255059 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 255109 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 255209 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 222209 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 255709 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 252709 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm | 370 x 570 mm | 252809 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|--|--------------|--------|
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 360 x 570 mm | 360 x 570 mm | 252909 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Closed, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 373 x 570 mm | 373 x 570 mm | 252859 |
| Toilet wall-mounted for shower toilet seat Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, | | 252959 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm | 370 x 480 mm | 253009 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 540 mm | 365 x 540 mm | 256209 |
| Toilet set wall-mounted Wall-mounted toilet: 2552090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 374 x 540 mm | 374 x 540 mm | 455209 |
| Toilet set wall-mounted Wall-mounted toilet: 2562090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0020790000, Lid colour: White High Gloss, Automatic close, 373 x 540 mm | 373 x 540 mm | 456209 |
| Toilet set wall-mounted Wall-mounted toilet: 2225090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm | 370 x 540 mm | 422509 |
| Toilet set wall-mounted Wall-mounted toilet: 2200090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm | 370 x 540 mm | 420009 |
| Toilet set wall-mounted Wall-mounted toilet: 2535090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067310000, Lid colour: White High Gloss, 355 x 545 mm | 355 x 545 mm | 453519 |
| Toilet set wall-mounted Wall-mounted toilet: 2535090000, colour White High Gloss, Washdown model, Flushing rim: Closed, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067390000, Lid colour: White High Gloss, Automatic close, 359 x 545 mm | 359 x 545 mm | 453509 |
| Toilet set wall-mounted Compact Wall-mounted toilet: 2530090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, 370 x 480 mm | 370 x 480 mm | 453009 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|--|----------------|--------|
| Toilet set wall-mounted Wall-mounted toilet: 2570090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0067390000, Lid colour: White High Gloss, Automatic close, 359 x 545 mm | 359 x 545 mm | 457009 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 355 x 545 mm | 355 x 545 mm | 257009 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm | 370 x 570 mm | 252509 |
| Toilet set wall-mounted Compact Wall-mounted toilet: 2571090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm | 370 x 480 mm | 457109 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 575 mm | 365 x 575 mm | 257209 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm | 370 x 570 mm | 251109 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 365 x 480 mm | 365 x 480 mm | 257309 |
| Toilet set wall-mounted Wall-mounted toilet: 2572090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0069690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 400 x 600 mm | 400 x 600 mm | 457209 |
| Toilet set wall-mounted Wall-mounted toilet: 25270900001, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063890000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm | 370 x 540 mm | 452709 |
| Toilet set wall-mounted , 373.5 x 570 mm | 373.5 x 570 mm | 452909 |
| Toilet set wall-mounted Wall-mounted toilet: 25510900001, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0063790000, Lid colour: White High Gloss, Removable Seat, Automatic close, 373 x 540 mm | 373 x 540 mm | 455109 |
| Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 325 x 480 mm | 325 x 480 mm | 257409 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|--|----------------|--------|
| <p>Toilet wall-mounted for shower toilet seat HygieneGlaze, Flush water quantity: 4,8/4,8 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, 360 x 575 mm</p> | 360 x 575 mm | 251009 |
| <p>Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 365 x 480 mm</p> | 365 x 480 mm | 257509 |
| <p>Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm</p> | 370 x 540 mm | 257709 |
| <p>Wall-mounted toilet Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm</p> | 370 x 540 mm | 257809 |
| <p>Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm</p> | 370 x 540 mm | 257609 |
| <p>Wall-mounted toilet Compact Flush water quantity: 4,5 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 480 mm</p> | 370 x 480 mm | 258709 |
| <p>Toilet set wall-mounted Wall-mounted toilet: 2577090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm</p> | 370 x 540 mm | 457709 |
| <p>Toilet set wall-mounted Wall-mounted toilet: 2578090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm</p> | 370 x 540 mm | 457809 |
| <p>Toilet set wall-mounted Compact Wall-mounted toilet: 2587090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm</p> | 370 x 480 mm | 458709 |
| <p>Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 570 mm</p> | 370 x 570 mm | 257909 |
| <p>Toilet wall-mounted for shower toilet seat HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Incl. invisible fixation, Incl. connecting set for SensoWash, Unified Water Label (UWL) Class: 1, 370 x 570 mm</p> | 370 x 570 mm | 257959 |
| <p>Toilet set wall-mounted Wall-mounted toilet: 2579092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, 373.5 x 570 mm</p> | 373.5 x 570 mm | 457909 |

DuraSystem® Installation element dry installation for WC Basic # WD1017000000

| < 500 mm > |

| | | |
|---|--------------|--------|
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm | 370 x 480 mm | 258809 |
| Toilet set wall-mounted Compact Wall-mounted toilet: 2588090000, colour White High Gloss, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 4,5 l, Toilet seat: 0021690000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 480 mm | 370 x 480 mm | 458809 |
| Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 259109 |
| Wall-mounted toilet HygieneFlush Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Unified Water Label (UWL) Class: 1, 370 x 540 mm | 370 x 540 mm | 258609 |
| Wall-mounted toilet Compact Flush water quantity: 4,5/3 l, Washdown model, Flushing rim: Rimless, Flush principle: washdown model, Outlet drain horizontal, Incl. invisible fixation, Unified Water Label (UWL) Class: 1, 370 x 480 mm | 370 x 480 mm | 259009 |
| Toilet set wall-mounted Wall-mounted toilet: 2586092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Flush water quantity: 3 l, Toilet seat: 0026490000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm | 370 x 540 mm | 458609 |
| Toilet set wall-mounted Wall-mounted toilet: 2591092000, colour White High Gloss, HygieneGlaze, Washdown model, Flushing rim: Rimless, Outlet drain horizontal, Concealed fixation, Flush water quantity: 3 l, Toilet seat: 0026490000, Lid colour: White High Gloss, Removable Seat, Automatic close, 370 x 540 mm | 370 x 540 mm | 459109 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.