

A.1 Single lever bathtub mixer for exposed installation # A15230001010

|< 111 mm >|




| Single lever bathtub mixer for exposed installation | Dimension | Weight | Order number |
|--|--------------|----------|--------------|
| Chrome, Connection type for water supply connection: S-connections, Dimension of connection hose: 1/2", Centre distance: 150 mm ± 20 mm, Ceramic cartridge, recommended operating pressure: 1 - 5 bar, Spray mode: Normal spray, Diverter valve, Non-return valve in the hose connection, Diverter automatically reverts from hand shower to bath spout when turned off, Flow rate (3 bar): 15,5 l/min | | | |
| Colors | | | |
| 10 Chrome | | | |
| Variant | | | |
| | | 1.300 kg | A15230001010 |
| Suitable accessories | | | |
| Hand shower Spray mode: Rain, Dimensions of water supply connection: 1/2", Silicone nubs | 245 x 110 mm | 0.16 kg | UV0650013 |
| Hand shower MinusFlow, Spray mode: Rain, Dimensions of water supply connection: 1/2", Flow rate (3 bar): 9 l/min, Silicone nubs | 245 x 110 mm | 0.16 kg | UV0652013 |
| Hand shower Spray mode: Rain, Dimensions of water supply connection: 1/2", Silicone nubs | 245 x 110 mm | 0.16 kg | UV0650014 |
| Hand shower MinusFlow, Spray mode: Rain, Dimensions of water supply connection: 1/2", Flow rate (3 bar): 9 l/min, Silicone nubs | 245 x 110 mm | 0.16 kg | UV0652014 |
| Hand shower Spray mode: SoftRain, Rain, IntenseRain, Dimensions of water supply connection: 1/2", Spray mode selection: Rotating blasting disc, Silicone nubs | 245 x 110 mm | 0.2 kg | UV0650015 |
| Hand shower MinusFlow, Spray mode: SoftRain, Rain, IntenseRain, Dimensions of water supply connection: 1/2", Spray mode selection: Rotating blasting disc, Flow rate (3 bar): 9 l/min, Silicone nubs | 245 x 110 mm | 0.2 kg | UV0652015 |

A.1 Single lever bathtub mixer for exposed installation # A15230001010

|< 111 mm >|

| | | | |
|--|--------------|---------|-----------|
| Hand shower Spray mode: SoftRain, Rain, IntenseRain, Dimensions of water supply connection: 1/2", Spray mode selection: Rotating blasting disc, Silicone nubs | 245 x 110 mm | 0.2 kg | UV0650016 |
| Hand shower MinusFlow, Spray mode: SoftRain, Rain, IntenseRain, Dimensions of water supply connection: 1/2", Spray mode selection: Rotating blasting disc, Flow rate (3 bar): 9 l/min, Silicone nubs | 245 x 110 mm | 0.2 kg | UV0652016 |
| Hand shower Spray mode: Rain, Pulse, Mono, Dimensions of water supply connection: 1/2", Spray mode selection: Push button, Silicone nubs | 240 x 120 mm | 0.24 kg | UV0650017 |
| Hand shower MinusFlow, Spray mode: Rain, Pulse, Mono, Dimensions of water supply connection: 1/2", Spray mode selection: Push button, Flow rate (3 bar): 9 l/min, Silicone nubs | 240 x 120 mm | 0.24 kg | UV0652017 |
| Stick hand shower Dimensions of water supply connection: 1/2", Silicone nubs | 187 x 25 mm | 0.14 kg | UV0640001 |
| Stick hand shower MinusFlow, Flow rate (3 bar): 9 l/min, Silicone nubs | 187 x 25 mm | 0.14 kg | UV0642001 |
| Stick hand shower Dimensions of water supply connection: 1/2", Silicone nubs | 212 x 22 mm | 0.18 kg | UV0640002 |
| Stick hand shower MinusFlow, Flow rate (3 bar): 9 l/min, Silicone nubs | 212 x 22 mm | 0.18 kg | UV0642002 |
| Hand shower holder Plastic, Hand shower holder: Fixed, Mounting bracket shape: Conical | 38 x 58 mm | 0.04 kg | UV0620001 |
| Shower hose Rotation lock: Yes, Dimensions of water supply connection: 1/2", Nut shape: Conical | 1250 x 23 mm | 0.28 kg | UV0610006 |
| Shower hose Rotation lock: Yes, Dimensions of water supply connection: 1/2", Nut shape: Conical | 1600 x 23 mm | 0.34 kg | UV0610007 |
| Shower hose Rotation lock: Yes, Dimensions of water supply connection: 1/2", Nut shape: Conical | 1800 x 23 mm | 0.37 kg | UV0610008 |
| Hand shower holder Brass, Hand shower holder: Fixed, Escutcheon shape: Round, Mounting bracket shape: Conical | 55 x 102 mm | 0.3 kg | UV0620007 |
| Hand shower holder Brass, Hand shower holder: Fixed, Escutcheon shape: Square, Mounting bracket shape: Conical | 55 x 102 mm | 0.3 kg | UV0620026 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.



A.1 Single lever bathtub mixer for exposed installation #
A15230001010

|< 111 mm >|