



Qatego Hand basin # 074645..00 / 074645..60 / 074645..00 / 074645..60

| < 450 mm > |



Hand basin	Dimension	Weight	Order number
Rectangular, Tap hole platform: Yes, Underside glazed, Back side glazed: No, 450 mm			
Colors			
00 White Alpin 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: Yes		7.500 kg	074645..00
⊗ White High Gloss, Number of washing areas: 1 Middle, Overflow: Yes		7.500 kg	074645..60
● White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: Yes		7.500 kg	074645..00
⊗ White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle, Overflow: Yes		7.500 kg	074645..60
Accessory			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Siphon	310 x 115 mm	0.32 kg	005026
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
Recommended faucets			
single lever basin mixer S Ceramic cartridge, Height: 155 mm, Spout reach: 91 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 121 x 40 mm	121 x 40 mm		C11010001
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020001

Qatego Hand basin # 074645..00 / 074645..60 / 074645..00 / 074645..60

|< 450 mm >|

single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm	C11070003
single lever basin mixer S Ceramic cartridge, Height: 155 mm, Spout reach: 91 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 121 x 40 mm	121 x 40 mm	C11010002
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm	C11020002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020001
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator, Including trim parts, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 173 x 191 mm	173 x 191 mm	TU1070004
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020001

Qatego Hand basin # 074645..00 / 074645..60 / 074645..00 / 074645..60

|< 450 mm >|

single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator with EasyClean, Including trim parts, recommended operating pressure: 1 - 5 bar, 167 x 217 mm	167 x 217 mm	CE1070004
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020002
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 167 x 222 mm	167 x 222 mm	WA1070004
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	48 x 169 mm	MH1020001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	48 x 169 mm	MH1020002
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator with EasyClean, Including trim parts, recommended operating pressure: 1 - 5 bar, 170 x 205 mm	170 x 205 mm	MH1070004
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1022002

Qatego Hand basin # 074645..00 / 074645..60 / 074645..00 / 074645..60

| < 450 mm > |

single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 170 mm, Spout reach: 129 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 48 x 169 mm	MH1022002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.