


## Qatego Semi-recessed washbasin # 039955..00 / 039955..00

| < 550 mm > |



Semi-recessed washbasin	Dimension	Weight	Order number
Washbasin version: Installation, 550x470 mm, Tap hole platform: Yes, Type of mounting: counter top, Incl. fixings for installation in wooden consoles, Underside glazed			
<b>Colors</b>			
00 White Alpin 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
<b>Variant</b>			
● White High Gloss, Number of faucet holes per wash area: 1, Overflow: Yes		14.750 kg	039955..00
● White High Gloss, HygieneGlaze, Number of faucet holes per wash area: 1, Overflow: Yes		14.750 kg	039955..00
<b>Accessory</b>			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Siphon	310 x 115 mm	0.32 kg	005026
<b>Recommended faucets</b>			
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020001
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm		TU1021001

## Qatego Semi-recessed washbasin # 039955..00 / 039955..00

|< 550 mm >|

single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020001
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1022001

## Gatego Semi-recessed washbasin # 039955..00 / 039955..00

|< 550 mm >|

single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022002

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*