


**Gatego Washbasin # 238212..00 / 238212..24 / 238212..26 / 238212..27 / 238212..28 / 238212..60 / 238212..00 / 238212..24**

|< 1200 mm >|

...



Washbasin	Dimension	Weight	Order number
DuraCeram®, Rectangular, Tap hole platform: Yes, Overflow: Yes, Underside glazed, Back side glazed: No, 1200 mm			
Colors			
00 White Alpin 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle		32.300 kg	238212..00
● ● White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right		32.300 kg	238212..24
● ● White High Gloss, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right, grounded		32.300 kg	238212..26
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, grounded		32.300 kg	238212..27
☒ White High Gloss, Number of washing areas: 1 Middle, grounded		32.300 kg	238212..28
☒ White High Gloss, Number of washing areas: 1 Middle		32.300 kg	238212..60
● White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle		30.400 kg	238212..00

**Gatego Washbasin # 238212..00 / 238212..24 / 238212..26 / 238212..27 / 238212..28 / 238212..60 / 238212..00 / 238212..24**

|< 1200 mm >|

...

● ● White High Gloss, HygieneGlaze, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right		30.400 kg	238212..24
● ● White High Gloss, HygieneGlaze, Number of washing areas: 2 Middle, Number of faucet holes per wash area: 1 Left, Right, grounded		30.400 kg	238212..26
● White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, grounded		30.400 kg	238212..27
☒ White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle, grounded		30.400 kg	238212..28
☒ White High Gloss, HygieneGlaze, Number of washing areas: 1 Middle		30.400 kg	238212..60
<b>Accessory</b>			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Siphon	310 x 115 mm	0.32 kg	005026
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
<b>Recommended faucets</b>			
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020001
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 174 mm	173 x 174 mm		C11070003
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm		C11020002
single lever basin mixer Ceramic cartridge, Height: 74 mm, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator adjustable, Including trim parts, recommended operating pressure: 1 - 5 bar, Noise class: I, Unified Water Label (UWL) Class: 1, 173 x 225 mm	173 x 225 mm		C11070004
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm		TU1021001

**Gatego Washbasin # 238212..00 / 238212..24 / 238212..26 / 238212..27 / 238212..28 / 238212..60 / 238212..00 / 238212..24**

|< 1200 mm >|

...

single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1021002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 50 x 180 mm	50 x 180 mm	TU1020001
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator, Including trim parts, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 173 x 191 mm	173 x 191 mm	TU1070004
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020002
single lever basin mixer M Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020001
single lever basin mixer M Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	52 x 166 mm	WA1020002
single lever basin mixer Ceramic cartridge, Connection type for water supply connection: Basic Set, Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 167 x 222 mm	167 x 222 mm	WA1070004
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 176 mm, Spout reach: 117 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	52 x 160 mm	CE1021002

**Qatego Washbasin # 238212..00 / 238212..24 / 238212..26 / 238212..27 / 238212..28 / 238212..60 / 238212..00 / 238212..24**

|< 1200 mm >|

...

single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 160 mm	CE1022002
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021001
single lever basin mixer M FreshStart FreshStart, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1021002
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022001
single lever basin mixer M MinusFlow MinusFlow, Ceramic cartridge, Height: 171 mm, Spout reach: 122 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator with EasyClean, recommended operating pressure: 1 - 5 bar, 52 x 166 mm	WA1022002

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*