


Vero Washbowl # 0452500000

|&lt; 500 mm &gt;|



Washbowl	Dimension	Weight	Order number
Rectangular, Tap hole platform: Yes, grounded, Back side glazed: Yes, 500 mm			
Colors			
00 White Alpin			
Variant			
● White High Gloss, Number of washing areas: 1 Middle, Number of faucet holes per wash area: 1 Middle, Overflow: Yes		16.200 kg	0452500000
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Push-open waste Suitable for washbasin with overflow, Ø 63,5 mm	Ø 63.5 mm	0.35 kg	005052
Design siphon Brass, Outlet drain: horizontal, Suitable for Washbasin	70 x 425 mm	1.5 kg	005036
Suitable products			
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Soft self-closing automatic with damping, 800 x 550 mm	800 x 550 mm		KT6694
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm		DS5310

**Vero Washbowl # 0452500000**

|&lt; 500 mm &gt;|

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5311
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5312
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5313
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5314
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5315
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5316
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5317
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5318
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5319
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5810
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5811
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5812
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5813

**Vero Washbowl # 0452500000**

|&lt; 500 mm &gt;|

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5814
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5815
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5816
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5817
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5818
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5819
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4900
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4901
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4902
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4910
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4911
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4912

## Vero Washbowl # 0452500000

| < 500 mm > |

Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm	800 x 548 mm	XS4920
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm	1000 x 548 mm	XS4921
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm	1200 x 548 mm	XS4922
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4904 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4923 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4924 L/R
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4907 B
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4917 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4927 B
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS102C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS103C

## Vero Washbowl # 0452500000

| < 500 mm > |

Console Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS106C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	DS107C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC102C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 550 mm	800 x 550 mm	LC107C
<b>Recommended faucets</b>		
single lever basin mixer M Ceramic cartridge, Height: 175 mm, Spout reach: 113 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 143 x 40 mm	143 x 40 mm	C11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 170 mm, Spout reach: 139 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 50 mm	175 x 50 mm	B11020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 165 mm, Spout reach: 138,5 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 175 x 42 mm	175 x 42 mm	B21020001
single lever basin mixer M Chrome, Ceramic cartridge, Height: 167 mm, Spout reach: 107 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Unified Water Label (UWL) Class: 1, 149 x 43 mm	149 x 43 mm	A11020001
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	198 x 45 mm	D11100008

Vero Washbowl # 0452500000

|< 500 mm >|

2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4, 198 x 45 mm	D11100007
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	D11120002
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set, 198 x 45 mm	D11120009

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*